



STOVES 2016 – 2017

UNITED KINGDOM



By appointment to The Royal Danish Court

morso

The definition of hygge

CONTENTS

History.....	4
Morsø makes homelife better	6
The original cast iron stove.....	8
8800 series.....	10
8200 series	12
8100 series	14
7900 series.....	16
7600 series.....	18
7400 series.....	20
6800 series	22
6643.....	24
6100 series	26
4340.....	28
3610.....	30
1630.....	31
7110.....	32
2110.....	33
3400 series.....	34
3100 Badger series.....	35
2B Classic	36
S50-40	38
DB15.....	39
1412 - 1442 Squirrel	40
1410 Squirrel	42
1430/35 Squirrel.....	43
S11-series	44
Ø-series	46
Inserts.....	48
Pellet Stoves	52
Technical Details.....	54
Environment.....	76
Hearth pads	78
Accessories.....	82



A LONG HISTORY - TOLD IN BRIEF

The history of Morsø Jernstøberi dates all the way back to 1853, when business graduate, N. A. Christensen, started his own iron foundry on the Limfjord island of Mors. In the first few years, the small handful of employees manufactured everything from barn windows and memorial crosses to cooking stoves, pots and pans.

However, N. A. Christensen wasn't just your usual business man. With his well-honed talent for good business and his many creative and forward-thinking ideas, he quickly succeeded in turning the company into one of the country's leading iron foundries, and towards the close of the century, Morsø's cast goods were well-known throughout the country. Especially the popular solid fuel stoves and cooking stoves, which had now become the company's most important brand.

Royal warmth

At the turn of the century, Morsø began supplying heating systems to churches, schools and a number of public buildings, including the state railways and various ministries. And at the start of the 1900s, the popular imperial-style stoves found their way into the royal apartments at Amalienborg. In 1915, various stoves had already been supplied to the palaces at Amalienborg and to several other royal residences, and the company was therefore bestowed the prestigious title of Purveyor to His Majesty the King by King Christian X. Later, in 1969, the title was changed to Purveyor to the Royal Danish Court.



Always in front

Right from the earliest years, development and innovation have been an important driving force for Morsø Jernstøberi. Various history-making products and principles have, therefore, put the beautiful island in Limfjord on the map. For example, the convection principle, which at the turn of the new century was developed in cooperation with other foundries, and which has set completely new standards on how efficiently and especially how comfortably we can heat our homes with a solid fuel stove.

When central heating and, therefore, radiators began

to make their mark in Danish homes in the 1950s, the solid fuel stove was out of fashion. But Morsø showed once again that it had its finger on the pulse, when the revolutionary open fireplace stove, the 1122, was launched. In so doing, Morsø opened up a completely new market and a completely new way of making life warmer. In two senses of the word.

In summary, Morsø has, step by step, led the way in both new designs and new ways of combining form and function; efficiency with beauty and comfort – and also in recent years with environmental awareness.



MORSØ MAKES HOME LIFE BETTER

For more than 160 years, Morsø has spread warmth through our homes, creating special moments of pure happiness, closeness, peace of mind and comfort. When you eventually put this catalog down, the likelihood is you'll be sold. You'll have fallen for Morsø's timeless look. You'll have fallen in love with cast iron's unique properties. And you'll be convinced of our products' obvious advantages for the environment.

But believe us – when you describe your relationship with your Morsø in the future, it won't be the design, the cast iron or its green-friendly impact which will fuel your fondness. By then, it has been an indispensable part of your home. A trusty source of heat, you will love for ease of operation, and the glow of the fire. To choose a Morsø stove, a Morsø pot or an outdoor oven is, in other words, to make a choice for life.



Morsø Outdoor living - Feel at home outside

With Morsø Outdoor living we turn up the heat on entertaining outdoors. We have developed a unique collection that makes outdoor living more comfortable, more beautiful and dare we say it more decadent. Yes at Morsø we love fire. We love the way everyone is naturally drawn toward the fascinating, seductive dancing flames. Based on strong traditions, we have created an innovative outdoor world for you, your family and your friends to enjoy, time and time again.

Morsø Cooking & Dining

Going back 160 years Morsø has created cookware in cast iron and demonstrated its superiority as a material for the noble art of cooking over many decades. Morsø has now produced a new stylish series of cook ware in functional cast iron pots and pans in beautiful Scandinavian design. We want to make home life better.

mmoriso

THE ORIGINAL CAST IRON STOVE

If you asked 100 random Danish people to name a make of stove, more than 90 of them would without doubt say “Morsø”. With good

reason. For generations, Morsø has been the quintessence of a Danish stove. Timeless and modern at the same time.

WORTH KNOWING ABOUT CAST IRON

All stoves want to expand as they get hot. However, cast iron has a thermal tension, which makes the material especially well suited to changing temperatures. The result is that a Morsø cast-iron stove will burn the same tomorrow as it does today.

Morsø's cast iron stoves are not welded but are bound with gasket materials and the plates are bolted together. This gasket material will cushion the expanding plates, for less stress on the castings and will insure that the air tight integrity of the seams is maintained so that there will be less maintenance over the life of the stove.

Cast iron is highly resistant to overheating.

The thickness of the cast iron we use at Morsø ensures that our cast iron stoves retain the heat for a long time.

The ability of cast iron to distribute the heat is high. This means that the heat from a Morsø cast-iron stove always feels comfortable and pleasurable to be near to.

You receive a 10-year guarantee against casting faults and other production faults according to Morsø's warranty conditions.

THE 8800-SERIES

The **Morsø 8800** series is one of the most powerful Morsø stoves. Tall and handsome in cast iron, this trusty source of comfort will spread warmth and comfort time and again. It can be supplied with a pedestal plinth, with a drawer or an open plinth with space for firewood. The door handle stays cool during use, and the door is self-closing and easy to operate. da selbstschließend.

Heats up 45–120 m²



8842 - Log Drawer



8848



8843 - Log Storage





STEINBERG
LOUISIANA

THE 8200-SERIES

The **Morsø 8200**, with its spectacular view of the flames, has been further developed from the highly popular Morsø 8100 stove series and is guaranteed to make an impression with its top performance and stylish and modern look. The **Morsø 8200** stands out with elegance and lightness in the room, while the log store acts as a decorative base for the stove. The beautiful view of the flames is emphasised by the gold-tinged vermiculite, cast with the legendary Morsø squirrel on the baffle. Morsø 8229 and Morsø 8259 is equipped with a baking oven, which can be used for cooking and heating up various dishes.

Heats up 45–120 m²

8243 - Log Storage



8229 - Bake Oven

THE 8100-SERIES

The **Morsø 8100-series** comprises 3 cast-iron stoves, which set new standards in stove design both in terms of functionality and aesthetics. The stove has a clean and simple design, where the combination of soft, rounded contours and simple details give the stove a light and timeless look. This guarantees you a classically beautiful stove that will last for decades, while the cast iron's raw and living structure will provide both a rustic and exclusive tone. The flexibility of working with cast iron has enabled us to design a number of details for the stove, which will warm your spirit not just your home. *The stove's large glass area provides a feeling of watching an open fire.* An optional outside air kit is available for all three models.

Heats up 45–120 m²



8140



8142 - Log Drawer



8143 - Log Storage



7943 - Log Storage



THE 7900-SERIES

With the Morsø 7900-series, Morsø has worked with the designer Monica Ritterband to develop and create a new series of cast iron wood-burners, whose functionality and design suit any home - and of course with quality as the key. The Morsø 7900-series is an innovative design based on a modular system, that makes it possible to customise each wood-burning stove to suit individual needs, both in terms of design and functionality.

Heats up 45-120 m²



7940



7948



7943
plain base



7943
Log Drawer



7990
Plain base / Log
Drawer



7990
Log Storage

THE 7600-SERIES

The **Morsø 7600**-series has its own unique character – its spherical shape, feminine transitions and the large door glass. These unique design elements provide the stove with a personal style and a soft organic touch, yet still produced in the robust and almost indestructible material cast iron. The **Morsø 7600** wood burning stove is a work of art not unlike a living being, warming your house, your body and soul.

Heats up 45–120 m²



7642



7644





THE 7400-SERIES

Morsø 7400-series takes the best qualities of modern wood burning stoves and uses them to give the consumer a modern take on a classic design. At the same time the series celebrates Morsø's 160th anniversary and, for the first time presents the newly redesigned "Squirrel" motif. This motif decorates the matt black side of the stove and emphasizes the quality finish whilst celebrating our 160 year history as the leading manufacturer of high quality wood burning stoves.

Heats up 45–105 m²



7440



7442 - Log Drawer



7443 - Plain Base



7443 - Log Storage



7470 - Wall



7493 - Log Storage



All models suitable to burn wood in smoke controlled areas

Wood Burning

7448



THE 6800-SERIES

The **Morsø 6800**-series is Morsø's well-loved ellipse cast iron stove with an elegant rounded-off top that emphasises its organic shape. The beautiful rustic cast iron suits and enhances any home. Deep in the heart of the stove the famous squirrel can be seen, bringing joy and warmth with the aid of the flames. The door handle stays cool during use, and conceals an elegant solution with a self-closing door.

Heats up 45–120 m²



6848



6843 - Log Storage



6643





THE 6600-SERIES

With the **Morsø 6600 series** of stoves, the renowned Morsø brand has successfully produced a stove that sets entirely new standards and captivates onlookers with a surprising elegance and lightness. What's more, the view of the flames is bigger than it has ever been before. The stoves elliptical shape is complimented by a unique double door maximising the glass area. This provides a spectacular 180 degree view of the flames. The beautiful view of the flames is further enhanced by the gold tinted vermiculite that, like the stoves internal background view, is decorated with the legendary Morsø squirrel on the baffle – proof that this is a genuine Morsø stove.

Heats up 45–120 m²

6148





THE 6100-SERIES

The Morsø 6100-series fans the flames. The stove's unique combustion system helps ensure a higher temperature in the combustion chamber, which means it burns off the flue gases. This provides you with a cleaner and more environmentally-friendly combustion and a higher level of efficiency, guaranteeing you good fuel economy. Furthermore, the elegantly designed glass door and hidden mountings provide a good view of the fire and flames. The Morsø 6100-series are 80.1% net efficient with almost no smoke emissions.

Heats up 45–120 m²



6140



6141



6143 - Plain Base



6143 - Log Storage





NEW

4340

“Less is more” is the perfect description for the Morsø 4340 - the brand new wood-burning stove from Morsø. With its minimalistic and stylish shape, the Morsø 4340 blends in with its surroundings, where function and decoration go hand in hand. It's made from black steel, which on a design level creates the perfect match for the black-edged glass sections and the slender, matt-polished steel handle.

The Morsø 4340 captures its surroundings with a visual charm - its slender and timeless exterior slides almost imperceptibly in, becoming

an integral part of the room. The spectacular glass door, exposing the view of the flames to the side and front, is easy to open and close with its elegant handle, designed as an integral part of the door. The automatic closing system ensures the door shuts tightly with suction you can barely hear.

The stove is fitted to the outside air connection at the back and bottom with an integral outside air box.

Heats up 45–105 m²



3610

The Morsø 3600 radiant stove is a large, well designed heat source perfect when you need to heat a large area. This cast iron stove is designed by the well-known, english design company, Studio Levien. The stove has an additional side door for convenient loading.

A classic Morsø design, this cast iron beast will watch over your home like a tame dragon. An optional outside air kit is available for this model.

Heats up to 90 - 210 m²



Two models available / one dry and one drilled for optional 34,000 BTU boiler

1630

Morsø 1630 has a completely traditional stove style, with its fine large door with curved glass, helping to emphasise the cosiness and create a romantic look. The stove was designed at Morsø in 1985 and has always been one of the more

popular styles. The **Morsø 1630** has a nostalgic look with added charm, making it ideal for older homes or country homes.

Heats up 60 - 150 m²



7110

The **Morsø 7110** wood stove, like all Morsø cast iron stoves, has a very large glass panel without any interfering bars and a superior air wash system to keep the glass clean for an unobstructed view of the fire. Designed with Scandinavian simplicity, the **Morsø 7110** with sharp edges and straight lines are combined with classical American elements such as

the horizontal design and distinct profiles in the top and bottom plates. Whether you have a contemporary-designed home or a classical one, the **Morsø 7110** will seamlessly blend in to make your home cozy and warm.

Heats up 60 - 135 m²



2110

Nostalgic look, glowing with English charm. The cast-iron stove, which is very spacious and effective, was the creation of the English designers, Queensbury Hunt. Together with the English designers, we have created a powerful stove, which is a true representative of the proud Morsø tradition. The **Morsø**

2100-series has an extra wide combustion chamber, allowing the use of large-sized fuel. At the same time, the width of the doors facilitate large glass windows, allowing you to gaze at the slow crackling fire.

Heats up 60 - 150 m²

Multifuel



3410



3410 has owl sides / 3420 has ribbed sides

3400

We designed the **Morsø 3440** stove together with the well-known, English design company, Queensbury Hunt Levien, retaining the classic Morsø lines and stylish look, while also integrating an advanced combustion system. The wide

door with large stove glass provides a wonderful view of the flames, helping create both mood and heat in the home.

Heats up 60 - 120 m²

3440





3100

The **Morsø 3100** series incorporates the best from the classic Morsø design, but takes advantage of the latest combustion principles. Efficient and environmentally friendly multi-fuel stoves The 3112 is equipped with riddling grate and ashpan, making it easy to remove ash and

clean the stove. It is manufactured using the latest combustion principles with tertiary air supply and meet the most stringent environmental requirements. It can be fired with wood, briquettes or approved smokeless fuel and is suitable for heating areas of up to 75 cubic metres.

3142







2B CLASSIC

No past – no future. At the beginning of the 1930s, the sculptor, Constantin Sørensen, created this impressive radiant stove, featuring Morsø's well-known decoration of squirrel and oak leaves. Then, as today, the **Morsø 2B Classic** is in great demand, and with its almost stately appearance, the stove is perfect for patrician and farm style homes.

We have completely updated the combustion technology in the **Morsø 2B Classic**, so that it now meets today's stringent environmental requirements. There's almost no better way to have a fire than with the **Morsø 2B Classic**.

Heats up 60 - 120 m²



S50-40

At Morsø, our philosophy is to create the optimum combination of design, quality and materials. The Morsø S range is a convincing example of this. We have developed a range of quality, steel wood-burning stoves with a focus on design. The style is light, elegant and very Scandi-

navian in expression. And to preserve a touch of our »roots«, the new stoves also contain an element of cast iron. All Morsø S variants are sold with a 5-year guarantee,

Heats up 45 - 135 m²



Two models available multifuel or pure wood burner.

DB15

Morsø has been at the forefront of stove design and technology for 160 years and the launch of the DB15 is no exception.

A truly functional stove capable of a whole house heating solution with the unmistakable spirit and style of Morsø The Morsø DB15's environmental

credentials are ideal for any home striving to reduce its carbon impact. Capable of 9kW to water and 6kW to the room the DB15 is a DEFRA approved stove for use in smoke control areas.

Heats up 60 - 135 m²



1442



1400-SERIES

A steady beating heart. The **Morsø 1400** is the quintessence of a charming stove. It represents what was the heart of many a home, what we know and remember from our childhood. The combustion technology of these classic stoves have since then been further developed and improved so that harmful particles and surplus gases are burnt off. That's why, today, the stoves fulfil the strictest environmental requirements and also bear the Nordic Swan Eco-label. Despite all improvements in technology there are some details which remain timeless and a sign of quality, so Morsø's characteristic squirrel can still be found on the sides. It also available with contemporary ribbed sides.

Heats up 45–105 m²



1412



1416



1442 - ribbed



1446



1448



1410

Morsø 1410 is a classic radiant multi-fuel stove that will quickly and efficiently heat small rooms. It is a traditional stove decorated with Morsø's classic squirrel relief on both sides. Wood burning stove for small rooms.

The Morsø 1410 is a small universal cast-iron

stove that can be used with different types of fuel: wood, briquettes, and smokeless fuel. It is perfect for small homes, holiday homes, narrow-boats etc. with smaller heating... popular styles.

Heats up 45 - 105 m²



1430 / 1435

Morsø 1430 Squirrel is a small but perfectly formed multi-fuel stove. It comes with a stay-clean glass, convenient ashpan. It is easy to see why the Morsø 1400 Squirrel Series is the most popular small cast iron stove in Britain. Its rated output of 4.6 kW makes the 1430 Squirrel ideally suited for small and medium sized rooms and

makes a lovely addition to any home. The **Morsø 1430** Squirrel comes with the option of squirrel or ribbed sides and is also fitted with bottom and rear heat shield.

Heats up 45 - 105 m²



S11-42



THE S11-SERIES

The Morsø S 11 range is the epitome of simple, timeless design. When designing the stove, we attached a great deal of importance to creating an expression with exciting contrasts. Tight lines and soft curves. The steel's minimalistic and light expressions serve as the perfect counterbalance to the stove's large glass door, which affords a generous view of the beautiful and warming flames. The S 11 stoves make up a well-designed and inspired range within the category for low heating requirements.

Heats up 45–90 m²



S11-40



S11-43



S11-90

THE Ø-SERIES

The **Ø Collection** has been produced to meet the exacting standards of today's modern world. Style and function is the main philosophy behind the design, with special emphasis on simple operation and environmental impact. All three models capture the contemporary integration of steel and cast iron. The Ø collection uses our state of the art airwash system to allow you perfect viewing of the dancing flames through the large windows.

Ø4 Heats up 45 - 105 m²

Ø6 Heats up 60 - 120 m²

Ø8 Heats up 60 - 150 m²



Ø6



Ø8





Ø4





S81

The Morsø S81 is a different and exciting insert, specially designed for smaller rooms. This stylish fireplace stands out for its modern appearance, in which steel and cast iron complement each other to best effect.

The stove door is in the well known Morsø quality cast iron, while the surrounding frame is available in dark anthracite grey or brushed steel.

Heats up 30 - 75 m²

5660 - with optional front glass



5660

The **Morsø 5660** is an advanced and modern insert fireplace, that has an advanced combustion system supplied with tertiary air, enabling the stove to comply with the requirements for environmentally-conscious heating.

The fireplace has an extra large combustion chamber which can accommodate wood logs up to 58 cm. The insert is available with or without a glass front.

Heats up 60 - 120 m²

5660 without optional front glass





S80-90

The **Ø Collection** has been produced to meet the exacting standards of today's modern world. Style and function is the main philosophy behind the design, with special emphasis on simple operation and environmental impact. All three models capture the contemporary integration of steel and cast iron. The Ø collection uses our state of the art airwash system to allow you perfect viewing of the dancing flames through the large windows.

Heats up 75 - 135 m²





P30/P31

With a stylish CO₂ neutral pellet stove Morso Denmark now offers comfort and low energy winter warmth. Simply empty a sack of wood pellets into the pellet feeder of the stove, sit back and enjoy the warming flames. Morso's new pellet stove can burn through the day and long into the night.

Whether the pellet stove is a main or backup source of heat, or if the stove is the focal point for the family to gather through winter, the Morso P30 is a unique, practical and environmentally friendly choice.

Heats up 35 - 120 m²





P50/51

The pellet stoves P50 and P51 are based on the virtues of the classic wood burning stove. The sides of these pellet stoves are made from cast iron, a material that remains the best when it comes to emitting heat into a room. At the same time, the ribbed and gently curved shape takes its shape from the classic Morso stoves that have for centuries set the standards for wood burn-

ing stoves and even longer for traditional heating stoves. The extended use of cast iron in the P50 and P51 brings them closer in design to the traditional Morso stove. A pellet stove that mirrors the traditional wood burning stove is unique in the market.

Heats up 35 -120 m²

8800-SERIES



8843

EN 13240 and Norwegian approved

Rated output 6,3 kW
 Log length 30 cm
 Weight 192-201 kg
 Efficiency net/gross: 80,5/73,3%


Flue outlet, rear and top option
 internal \varnothing 150 mm

Clearance to Combustibles
 Top 600 mm
 Sides 500 mm
 Rear. 150 mm
 Soft Furniture. 1100 mm

Optional outside air kit available

Height 8842: 1045 mm
 Height 8848: 1133 mm

8200-SERIES



8243

EN 13240 and Norwegian approved

Rated output 6,3 kW
 Log length 30 cm
 Weight 117-194 kg
 Efficiency net/gross: 80,5/73,3%

Flue outlet, rear and top option
 internal \varnothing 150 mm

Clearance to Combustibles
 Top 600 mm
 Sides 500 mm
 Rear. 150 mm
 Soft Furniture. 1100 mm

Optional outside air kit available

Height 8229: 1485 mm

8100-SERIES

EN 13240 and Norwegian approved


Rated output 6,4 kW
 Log length 30 cm
 Weight 187 kg
 Efficiency net/gross: 80,5/73,3%

Flue outlet, rear and top option
 internal ø. 150 mm

Clearance to Combustibles
 Top 600 mm
 Sides 500 mm
 Rear. 150 mm
 Soft Furniture. 1100 mm

Optional outside air kit available

Height 8140: 869 mm
 Height 8141: 869 mm



8143

7900-SERIES

EN 13240 and Norwegian approved


Rated output 7,3 kW
 Log length 33 cm
 Weight 152-189 kg
 Efficiency net/gross: 79/71,9%

Flue outlet, rear and top option
 internal ø. 150 mm

Clearance to Combustibles
 Top 500 mm
 Sides 700 mm
 Rear. 125 mm
 Soft Furniture. 900 mm

Optional outside air kit available

Height: 7940: 1032 mm
 Height: 7948: 1157 mm
 Height: 7990: 1357 mm



7943

7600-SERIES

7642



EN 13240 and Norwegian approved

Rated output 6,2 kW
 Log length 30 cm
 Weight 136-156 kg
 Efficiency net/gross: 75,9/69,1%

Flue outlet, rear and top option
 internal ø. 150 mm

Clearance to Combustibles
 Top 600 mm
 Sides 500 mm
 Rear 150 mm
 Soft Furniture 1200 mm

Optional outside air kit available

Height 7644: 1035 mm
 Height 7648: 1012 mm

7400-SERIES

7440



7440

EN 13240 and Norwegian approved

Rated output 4,3 kW
 Log length 23 cm
 Weight 105-116 kg
 Efficiency net/gross: 82/74,5%

Flue outlet, rear and top option
 internal ø. 125/150 mm

Clearance to Combustibles
 Top 500 mm
 Sides 450 mm
 Rear 200 mm
 Soft Furniture 850 mm

Optional outside air kit available

Height 7442: 997 mm
 Height 7443: 997 mm
 Height 7448: 997 mm
 Height 7449: 1112 mm
 Height 7470: 696 mm
 Height:7493: 1118 mm

6800-SERIES

EN 13240 and Norwegian approved

Rated output 5 kW
 Log length 30 cm
 Weight 100-113 kg
 Efficiency net/gross: 80,1/72,9%

Flue outlet, rear and top option
 internal ø. 125 mm

Clearance to Combustibles
 Top 600 mm
 Sides 400 mm
 Rear. 150 mm
 Soft Furniture. 900 mm

Optional outside air kit available

Height 6848: 950 mm



6843

6600-SERIES


EN 13240 and Norwegian approved

Rated output 4-9 kW
 Log length 35 cm
 Weight 140 kg
 Efficiency net/gross: 80/72,8%

Flue outlet, rear and top option
 internal ø. 150 mm

Clearance to Combustibles
 Top 600 mm
 Sides 500 mm
 Rear. 150 mm
 Soft Furniture. 800 mm

Optional outside air kit available




6643

6100-SERIES



6140



N 13240 and Norwegian approved

Rated output 5 kW
 Log length. 30 cm
 Weight 105-112 kg
 Efficiency net/gross: 80.1/72.9%


Flue outlet, rear and top option
 internal ø. 125 mm

Clearance to Combustibles
 Top 600 mm
 Sides 400 mm
 Rear. 150 mm
 Soft Furniture. 900 mm


Optional outside air kit available

Height 6141: 850 mm
 Height 6143: 947 mm
 Height 6148: 950 mm

4340



4340



N 13240 and Norwegian approved

Rated output 4.5 kW
 Log length. 33 cm
 Weight 151 kg
 Efficiency net/gross: 83/75.4%

Flue outlet, rear and top option
 internal ø. 150 mm

Clearance to Combustibles
 Top xxx mm
 Sides 800 mm
 Rear. 100 mm
 Soft Furniture. 900 mm

Optional outside air kit available

3610

EN 13240 and Norwegian approved

Rated output 9,8 kW
 Log length 55 cm
 Weight 220 kg
 Efficiency net/gross: 74/67,3%

Flue outlet, rear and top option
 internal ø. 150 mm

Clearance to Combustibles
 Top 600 mm
 Sides 400 mm
 Rear. 200 mm
 Soft Furniture. 1000 mm

Optional outside air kit available



7110


EN 13240 and Norwegian approved

Rated output 5,4 kW
 Log length 40 cm
 Weight 140 kg
 Efficiency net/gross: 75,5/68,7%



Flue outlet, rear and top option
 internal ø. 150 mm

Clearance to Combustibles
 Top 500 mm
 Sides 500 mm
 Rear. 300 mm
 Soft Furniture. 1000 mm

Optional outside air kit available



2110



2110




EN 13240 and Norwegian approved

Rated output 8 kW
 Log length. 40 cm
 Weight 120 kg
 Efficiency net/gross: 72/65,5%

Flue outlet, rear and top option
 internal Ø. 155 mm

Clearance to Combustibles
 Top 500 mm
 Sides 550 mm
 Rear. 150 mm
 Soft Furniture. 800 mm

1630



1630

EN 13240 and Norwegian approved

Rated output 10,5 kW
 Log length. 40 cm
 Weight 122 kg
 Efficiency net/gross: 74/64,3%

Flue outlet, rear and top option
 internal Ø. 150 mm

Optional boiler for Morsø 1630 Dove: 34000 BTU
 Tappings locations:
 Horizontal centreline 500 mm
 From top to centreline 72 mm
 Vertical centreline 250 mm

Clearance to Combustibles
 Top 600 mm
 Sides 550 mm
 Rear. 800 mm
 Soft Furniture. 800 mm

3400-SERIES


EN 13240 and Norwegian approved

Rated output 6,5 kW
 Log length 36 cm
 Weight 100 kg
 Efficiency net/gross: 80,1/72,9%

Flue outlet, rear and top option
 internal ø. 155 mm

Clearance to Combustibles

Top 600 mm
 Sides 600 mm
 Rear. 200 mm
 Soft Furniture. 800 mm



3410

3440

EN 13240 and Norwegian approved


Rated output 6,5 kW
 Log length 36 cm
 Weight 116 kg
 Efficiency net/gross: 80,1/72,9%

Flue outlet, rear and top option
 internal ø. 155 mm

Clearance to Combustibles



Top 600 mm
 Sides 350 mm
 Rear. 200 mm
 Soft Furniture. 800 mm

Optional outside air kit available



3440

3100-SERIES



3112



EN 13240 and Norwegian approved

Rated output 5 kW
 Log length. 32 cm
 Weight 95 kg
 Efficiency net/gross: 81/73,7%

Flue outlet, rear and top option
 internal \varnothing 125 mm

Clearance to Combustibles
 Top 600 mm
 Sides 600 mm
 Rear. 200 mm
 Soft Furniture. 800 mm

*Optional outside air kit available
 (to use stove as woodburner only)



3142

EN 13240 and Norwegian approved

Rated output 5 kW
 Log length. 32 cm
 Weight 120 kg
 Efficiency net/gross: 81/73,7%

Flue outlet, rear and top option
 internal \varnothing 125 mm

Clearance to Combustibles
 Top 600 mm
 Sides 400 mm
 Rear. 200 mm
 Soft Furniture. 800 mm

*Optional outside air kit available
 (to use stove as woodburner only)

2B CLASSIC

EN 13240 and Norwegian approved


Rated output Room*8 kW
 Log length50 cm
 Weight105 kg
 Efficiency net/gross83/75.5%

Flue outlet, rear and top option

internal ø.120 mm
 internal diameter.129 mm

Clearance to Combustibles

Sides850 mm
 Rear.400 mm
 Soft Furniture.800 mm



2B CLASSIC

DB15

EN 13240 and Norwegian approved


Rated output6,5 kW
 Log length36 cm
 Weight100 kg
 Efficiency net/gross:80,1/72,9%

Flue outlet, rear and top option

internal ø.155 mm



Clearance to Combustibles

Top600 mm
 Sides600 mm
 Rear.200 mm
 Soft Furniture.800 mm



DB15

1400-SERIES



1410

EN 13240 and Norwegian approved

Rated output 4,5 kW
 Log length 28 cm
 Weight 70 kg
 Efficiency net/gross: 76/69%

Flue outlet, rear and top option
 internal ø. 125 mm



Optional boiler for Morsø 1410 Squirrel: 8000 BTU

Tapping locations:
 Horizontal centreline 230 mm
 From top to centreline 74 mm
 Vertical centreline 228 mm
 Tapping diameter 1" BSP

Clearance to Combustibles

Top 500 mm
 Sides 600 mm
 Rear. 300 mm
 Soft Furniture. 700 mm

Leg: 100 mm - Options on leg: 150 mm/250 mm



1412

EN 13240 and Norwegian approved

Rated output 5 kW
 Log length 28 cm
 Weight 70 kg
 Efficiency net/gross: 74.6/67.9%

Flue outlet, rear and top option
 internal ø. 125 mm

Clearance to Combustibles

Top 500 mm
 Sides 600 mm
 Rear. 100 mm
 Soft Furniture. 700 mm




EN 13240 and Norwegian approved

Rated output 5 kW
 Log length 28 cm
 Weight 70 kg
 Efficiency net/gross: 74,6/67,9%

Flue outlet, rear and top option
 internal ø. 125 mm

Clearance to Combustibles
 Top 500 mm
 Sides 300 mm
 Rear. 200 mm
 Soft Furniture. 700 mm

1442



EN 13240 and Norwegian approved

Rated output 4,6 kW
 Log length 28 cm
 Weight 75 kg
 Efficiency net/gross: 71/68%

Flue outlet, rear and top option
 internal ø. 125 mm


Optional boiler for Morsø 1430/35 Squirrel: 8000 BTU
 Tapping locations:
 Horizontal centreline 230 mm
 From top to centreline 74 mm
 Vertical centreline 228 mm
 Tapping diameter 1" BSP

Clearance to Combustibles
 Top 600 mm
 Sides 600 mm
 Rear. 600 mm
 Soft Furniture. 650 mm

Leg: 100 mm - Options on leg: 150 mm/250 mm

1430/35

1400-SERIES



EN 13240 and Norwegian approved



Rated output 4 kW
 Log length 28 cm
 Weight 69 kg
 Efficiency net/gross: 78,4/71,3%

Flue outlet, rear and top option
 internal ø. 125 mm

Clearance to Combustibles

Top 500 mm
 Sides *390 mm
 Rear *100 mm
 Soft Furniture 700 mm
 * insulated flue

1416



EN 13240 and Norwegian approved


Rated output 4 kW
 Log length 28 cm
 Weight 73 kg
 Efficiency net/gross: 78,4/71,3%

Flue outlet, rear and top option
 internal ø. 125 mm

Clearance to Combustibles

Top 500 mm
 Sides *450 mm
 Rear *150 mm
 Soft Furniture 700 mm
 * insulated flue

1418





1400-SERIES

EN 13240 and Norwegian approved

Rated output 4 kW
 Log length 28 cm
 Weight 90 kg
 Efficiency net/gross: 78,4/71,3%

Flue outlet, rear and top option
 internal ø. 125 mm

Clearance to Combustibles
 Top 500 mm
 Sides *240 mm
 Rear. *140 mm
 Soft Furniture. 700 mm
 * insulated flue





EN 13240 and Norwegian approved




Rated output 4 kW
 Log length 28 cm
 Weight 94 kg
 Efficiency net/gross: 78,4/71,3%

Flue outlet, rear and top option
 internal ø. 125 mm

Clearance to Combustibles
 Top 500
 Sides *320
 Rear. *190
 Soft Furniture. 700
 * insulated flue



S11-SERIES



S11-40




EN 13240 and Norwegian approved

Rated output 4 kW
 Log length 25 cm
 Weight 61 kg
 Efficiency net/gross: 83/75,5%

Flue outlet, rear and top option
 internal \varnothing 125 mm

Clearance to Combustibles
 Top 600 mm
 Sides 320 mm
 Rear. 240 mm
 Soft Furniture. 700 mm

Optional outside air kit available



S11-42

EN 13240 and Norwegian approved

Rated output 4 kW
 Log length 25 cm
 Weight 61 kg
 Efficiency net/gross: 83/75,5%

Flue outlet, rear and top option
 internal \varnothing 125 mm

Clearance to Combustibles
 Top 600 mm
 Sides 320 mm
 Rear. 240 mm
 Soft Furniture. 700 mm

Optional outside air kit available

S11-SERIES



EN 13240 and Norwegian approved

Rated output 4 kW
 Log length 25 cm
 Weight 61 kg
 Efficiency net/gross: 83/75,5%

Flue outlet, rear and top option
 internal ø. 125 mm

Clearance to Combustibles
 Top 600 mm
 Sides 300 mm
 Rear. 200 mm
 Soft Furniture. 700 mm

Optional outside air kit available



S11-43



EN 13240 and Norwegian approved

Rated output 4 kW
 Log length 25 cm
 Weight 73 kg
 Efficiency net/gross: 83/75,5%

Flue outlet, rear and top option
 internal ø. 125 mm

Clearance to Combustibles
 Top 600 mm
 Sides 300 mm
 Rear. 200 mm
 Soft Furniture. 700 mm

Optional outside air kit available



S11-90

Ø-SERIES




EN 13240 and Norwegian approved

Rated output 5 kW
 Log length 28 cm
 Weight 88 kg
 Efficiency net/gross: 81/73,3%

Flue outlet, rear and top option
 internal ø. 125 mm

Clearance to Combustibles
 Top 600 mm
 Sides 550 mm
 Rear. 650 mm
 Soft Furniture. 700 mm

Ø




EN 13240 and Norwegian approved

Rated output 7,7 kW
 Log length 37 cm
 Weight 110 kg
 Efficiency net/gross: 75/68,3%

Flue outlet, rear and top option
 internal ø. 150 mm

Clearance to Combustibles
 Top 600 mm
 Sides 600 mm
 Rear. 700 mm
 Soft Furniture. 1100 mm

9Ø




EN 13240 and Norwegian approved

Rated output 9.3 kW
 Log length 50 cm
 Weight 130 kg
 Efficiency net/gross: 75/65,5%

Flue outlet, rear and top option
 internal ø. 155 mm

Clearance to Combustibles
 Top 600 mm
 Sides 600 mm
 Rear. 700 mm
 Soft Furniture. 1100 mm

Optional outside air kit available



S50


EN 13240 and Norwegian approved

Rated output 8 kW
 Log length 35 cm
 Weight 120 kg
 Efficiency net/gross: 78,4/71,3%

Flue outlet, rear and top option
 internal ø. 150 mm

Clearance to Combustibles
 Top 600 mm
 Sides 500 mm
 Rear. 300 mm
 Soft Furniture. 800 mm

Optional outside air kit available




S50-40

5660



5660



Rated output 6.5 kW
 Log length 58 cm
 Weight 125 kg
 Efficiency net/gross: 75/68,3%

Flue outlet, rear and top option
 internal \varnothing 150 mm


Clearance to Combustibles
 Sides 400 mm
 Rear 100 mm
 From Floor 300 mm

Accessories: Extra front glass

S80-90



S80-90



Rated output 8 kW
 Log length 67 cm
 Weight 124 kg
 Efficiency: 77,6%


Flue outlet, rear and top option
 internal \varnothing 150 mm

Clearance to Combustibles
 Sides 400 mm
 Rear 200 mm
 From Floor 300 mm

Rated output 4 kW
Log length 25 cm
Weight 58 kg
Efficiency: 88%


Flue outlet, rear and top option
internal ø. 120 mm

Clearance to Combustibles
Sides 225 mm
Rear 100 mm
From Floor 150 mm



S81

P30/31






Rated output 7 kW
 Reduced output 2.5 kW
 Efficiency 82.5-85.0%
 Heats up to 35-120 m²
 Fuel, wood pellets Ø 6 mm
 Electrical Usage (W) - max 100

Clearance to Combustibles

Sides 200 mm
 Rear 200 mm

P30





Rated output 7 kW
 Reduced output 2.5 kW
 Efficiency 82.5-85.0%
 Heats up to 35-120 m²
 Fuel, wood pellets Ø 6 mm
 Electrical Usage (W) - max 100

Clearance to Combustibles




Sides 200 mm
 Rear 200 mm

P31



Rated output 7 kW
 Reduced output 2.5 kW
 Efficiency 88%
 Heats up to 35-120 m²
 Fuel, wood pellets ø 6 mm
 Electrical Usage (W) - max 100




Clearance to Combustibles
 Sides 100 mm
 Rear 25 mm



P50


Rated output 7 kW
 Reduced output 2.5 kW
 Efficiency 88%
 Heats up to 35-120 m²
 Fuel, wood pellets ø 6 mm
 Electrical Usage (W) - max 100

Clearance to Combustibles
 Sides 100 mm
 Rear 25 mm



P51

ENVIRONMENTALLY FRIENDLY COMBUSTION



The cross-section of the stove shown above outlines the stove's combustion and convection airflow system. Cold air is drawn into the stove and heated as it passes through the cast iron channels (the heated air washes the glass keeping it clean, clear and free from soot). The hot air also provides perfectly heated combustion air (in addition the heated tertiary air aids secondary combustion of any smoke and gasses, increasing efficiency and reducing the environmental impact).




We're hot for fire. One of our most important areas of expertise is the production of environmentally-aware stoves, and we happily describe ourselves as experts in combustion technology.


elegant & exclusive

Morsø have been at the forefront of high quality cast iron stoves for more than 160 years. We now offer a superb range of glass hearth plates to compliment any installation.







CORNER – ANGLED FRONT




CORNER – CIRCULAR FRONT




FLAT BACK CIRCLE




SQUARE




CIRCULAR FRONT



**CURVED FRONT
(Clear Only)**



**CURVED FRONT
(Black & Opaque Only)**



**BEVEL EDGE SECTION
(Actual Size)**

FINISHES



Square
Clear, Opaque & Black



Flat Back Circle
Clear, Opaque & Black



Curved Front
Clear, Opaque & Black

GLASS HEARTHTHS



Corner Angled Front
Clear, Opaque & Black



Circular Front
Clear, Opaque & Black



Corner Circular Front
Clear, Opaque & Black

ORIGINAL ACCESSORIES

CURVA

With "CURVA", Morsø has created a functional and aesthetically beautiful piece that encompasses all the fire tools in such a way that each product in the series has its own function, and nothing is superfluous.



CURVA FIRE TOOLS



CURVA POKER




MORSØ FIREWOOD BUCKET
LARGE & SMALL

Morsø round Fire Wood Buckets are made in a simple design painted with a mat black powder coating, with a small Morsø logo on the side.
Large: H x Ø: 34 x 45 cm.
Small: H x Ø: 32 x 40 cm.

MORSØ MOISTURE METER

Ensures that wood fuel has the correct moisture content thus maximizing fuel combustion and fuel efficiency.



MORSØ DUSTPAN & BROOM

The dustpan is 20 cm wide and functionally executed with ergonomic rubber handles.



COMPLETE FIRE TOOLS

Complete Fireplace Tool Set is very well thought out and has clean lines, making it a perfect companion to Morsø's minimalist stoves. The tools are made of quality materials with comfortable rubber grips.
H: 40 x W: 20 x D: 10,7 cm.



MORSØ CAST IRON HUMIDIFIER

Morsø cast iron kettles are available in two sizes, 2.0 liter or 4.5 liter. Made of enameled cast iron.



CLASSIC FIRE TOOLS

The classic Morsø, with the Morsø squirrel.
Height: 69 cm.



FLUE GAS THERMOMETER

The Morsø flue gas thermometer is attached to the flue pipe with a magnet and is used to measure the temperature of the smoke in the flue pipe right above the stove.



MORSØ FIREWOOD BOX

Height x Width x Length: 30 x 38 x 45 cm. Morsø Canvas Wood Carrier is included.



MORSØ CANVAS WOOD CARRIER


Made of black canvas and has sturdy wooden handles.



MORSØ ASH AND STORAGE BUCKET

This four gallon bucket comes with a tight fitting lid to ensure containment of ashes until all embers are put out.
Height x Diameter 37 x 30 cm.

ORIGINAL ACCESSORIES



MORSØ CAST IRON TRIVET

Made with high quality cast iron, the Morsø Trivet is 19 cm in diameter and has a matt-black enameled coating. Two different Morsø trivets are available.



LOOP LOG RING AND FIRE TOOL SET

The Morsø loop Log Ring incorporates a soft rubber handle for carrying comfort and a soft rubber mat\tray. Dimensions: Mat: 62 cm x 38 cm. Loop: ø 50 cm



ASSEMBLY & MAINTENANCE

Owning a stove is a commitment and you must take care of your Morsø stove if you want it to last a long time. In this regard we advice you to use only genuine Morsø materials for installation and regular maintenance.



MORSØ LEATHER GLOVE

This protective glove is made of thick leather. The gloves are available for both left and right hand.



MORSØ CONFORM FIRE TOOLS

Morsø Conform Fire tools, designed by Karsten Aagaard are a modern version of the Morsø Classic Fire tools and consist of a brush, shovel and poker.



MORSØ ELLIPSE FIRE TOOLS

The Morsø Ellipse Fire Tools consist of a brush,shovel and poker which also doubles as a blowpipe, all contained in a bucket. The bucket can also be used to store gloves, matches and firestarters.

When cleaning your stove the bucket can be used to remove ashes. The blowpipe function of the poker is ideal when you need extra air when lighting the stove.

MORSØ CHILD GUARD

Efficient and elegant, this superbly constructed Morsø accessory is equipped with two side panels and wall fittings. Height x Width x Length: 70 x 110 x 110 cm.



SIMPLICA HUMIDIFIER

The glossy stainless steel handle contrasts to the black enameled cast iron and the grip made of solid rubber makes it safe and comfortable when moving the humidifier under all conditions. Content 1,5 l.



The definition of hygge



By appointment to The Royal Danish Court

morsø