

## a warm welcome

It's never been easier to get the warm inviting atmosphere of a real flame fire with all the convenience, versatility and efficiency of electricity.

Using the latest flame-effect technology, Gazco has created a beautiful range of stoves and fires that provide a versatile and stunning focal point for any home – and all without the need for a chimney!

Whether you want to achieve a modern, contemporary look or a more classic, traditional interior, this brochure will help you make the right choice for your home.













## contents

| Complete Peace of Mind04                                  |
|---|
| Creative Control05  |
|   |
| Traditional Electric Stoves                               |
| Chesterfield06 - 07                                       |
| Sheraton 08 - 09  |
| Stockton  |
| Marlborough212 - 13                                       |
| Huntingdon14 - 15   |
| Contemporary Electric Stoves                              |
| Vogue Midi16 - 17   |
| Vogue Midi T18 - 19                                       |
| Vision20 - 2  |
| Yeoman CL Stoves22 - 23                                   |
| Liberty 8524 - 27   |
| eReflex Electric Fires28 - 3                              |
| Riva2 670 Electric Fires32                                |
| Riva2 670 Verve XS33                                      |
| Riva2 670 Designio234 - 35                                |
| Riva2 670 Evoke36 - 37                                    |
| Logic2 Electric Fires38 - 39                              |
| Logic2 Arts40 - 4   |
| Logic2 Chartwell42 - 43                                   |
| Logic2 Wave44 - 45  |
|   |
| Logic's Progress 46 - 47                                  |
| Logic2 Progress46 - 47                                    |
| Technical Information48 - 5                               |
| Technical Information48 - 5 <sup>-7</sup> Stove Benches52 |
| Technical Information48 - 5                               |

# complete peace of mind

### the gazco pedigree

When you choose Gazco, quality and technology are assured. From contemporary hang on the wall fires to traditional stoves, Gazco are committed to creating the ultimate in flame effect fires. Our research and development laboratories are amongst the most advanced in the industry, ensuring that the very latest innovations are incorporated into our products.

Gazco is part of the Stovax Group. We offer a prestigious product range, which includes everything from the traditional to the ultra-contemporary in a wide array of styles and sizes. Whether your choice is solid fuel, gas, or electric you can be sure to find a stove or fireplace from our range to add the perfect warmth and character to your home. Full details of the Stovax Group's range of products can be found at: www.stovax.com

Gazco is an ISO9001 and ISO14001 accredited company. Our rigorous quality control system ensures that all our appliances are safety checked and that they comply with the appropriate regulations, with all fires in this brochure bearing the UKCA and CE mark. Similarly, our environmental management systems ensure we work in a sustainable manner, whilst endeavouring to protect the environment by minimising any possible impact from our operations.

# CA CE

### warranty information

Your Gazco retailer will provide you with a Two Year Warranty for your new electric fire providing it is registered with Gazco. Please note this warranty excludes certain consumable parts. Fires purchased outside of Gazco's Expert Retailer Network will carry a standard One Year Non-Extendable Warranty, or minimum statutory warranty for your country. Full warranty details, terms and conditions are available at: www.gazco.com

### expert retailer network

We take great care to ensure that our fires are designed, tested and manufactured to the highest possible quality and safety standards. We are just as concerned to make certain that they are sold and installed correctly so that you will enjoy years of pleasure from your purchase.

Accordingly, you will find our products are only available from experienced, independent retailers who will be happy to show you a selection of models locally in their showrooms, often fully operational. These independent retailers will discuss your individual requirements covering both technical issues and design, to ensure that you select the most appropriate product for your home. They will also be able to advise on, or assist with, the installation process as well as help provide any after-sales support and servicing your appliance may require in the future.

Whilst we encourage our retailers to promote fireplace products and their outlets via the internet, we do not believe suitable levels of customer care and satisfaction can be obtained from purchasing the product only online and we would strongly recommend that you consider this when undertaking your research and making a purchasing decision. Furthermore, please be aware that we do not offer technical support (beyond our statutory responsibilities) to products bought via nationwide online sales, where this support would normally be offered by one of our qualified, independent retailers.

In addition, Gazco fires purchased from within our Expert Retailer Network will have the additional benefit of an extended warranty period, subject to terms and conditions. Full details can be found at: www.gazco.com

### find your local retailer



You can find your nearest expert retailer by visiting: www.gazco.com/retailers



We are proud to have been recognised as an award-winning manufacturer, for our high-quality products and innovative technology. Find out more at **gazco.com/awards** 



## creative control

All Gazco electric fires and stoves come with a Programmable Thermostatic Eco Remote Control. This easy-to-use handset gives you full control over a host of features, including temperature control as well as visuals.

#### flame options

Choose from Amber, Blue\*\* or a combination depending on your mood, with five brightness settings for each colour.

#### chromalight fuel bed lighting

Choose from 13 vibrant Chromalight LED fuel bed colours on electric stoves and fires, or 8 for the eReflex RW range\*. For added wow-factor, opt for a gradually changing spectrum of each.

#### thermostatic ambient heating

Set the optimum temperature for your room between 15°C and 25°C. The fire or stove will use its thermostat to manage heating power, reaching the desired temperature as efficiently as possible.

#### comfort temperature

Eco and Comfort settings allow you to adjust the thermostat by a further +/- 4°C for greater temperature control.

#### daily and weekly heating

Fires and stoves can be programmed to provide heat at certain times of the day or week, using the handset's Daily and Weekly Timer function.

#### heating advance mode

Heating cycles can be easily delayed or advanced if desired, without disrupting daily or weekly programming.

#### adaptive start control

Advanced thermostat technology allows the fire or stove to turn on up to 45 minutes in advance of a scheduled time to ensure the room is at the right temperature, when you want it to be.

## open window detection

To save energy, a sudden drop in room temperature of 4°C due to an open window or door will cause the fire or stove to stop heating the room. Heating can be easily resumed by pressing the heat button again or closing the window.

Gazco's energy saving features ensure all models comply with stringent Ecodesign energy product standards.







## chesterfield 5 electric









Elegantly styled, yet decidedly sophisticated, the Chesterfield 5 Electric combines designer looks with traditional aesthetics. For unparalleled authenticity, the Chesterfield 5 features the same cast iron and heavy gauge steel construction used in its woodburning and gas versions. Inside, this advanced electric stove creates a superb flame picture thanks to the Chromalight technology and interchangeable, highly realistic log effects.

### Finish

Matt Black

#### **Heat Output**

0.75 - 1.50kW (or flame effect only)

#### Flame Visual Settings

Amber, Blue, or Amber with Blue accent

#### Interchangeable Fuel Beds

Log & Pebble effect Crystal Ice effect

## **Dimensions w x h x d (mm)** 472 x 614 x 391





## sheraton 5 electric











The Sheraton 5 Electric stove brings style, elegance, and remarkably realistic flame visuals to any interior. Cast iron bevelling and cornicing to the door, top plate and base give this stove a classic but timeless appearance that will suit modern and traditional settings alike.

Featuring a choice of fuel effects alongside our Chromalight® Immersive LED systems, the Sheraton 5 Electric gives you a variety of display options that can be mixed and matched to create a bespoke focal point.

#### **Finish**

Matt Black

#### **Heat Output**

0.75 - 1.50kW (or flame effect only)

#### Flame Visual Settings

Amber, Blue, or Amber with Blue accent

#### Interchangeable Fuel Beds

Log & Pebble effect Crystal Ice effect

**Dimensions w x h x d (mm)** 458 x 614 x 371



# stockton electric





With their cast iron doors and heavy gauge steel bodies, Stockton stoves combine the classic looks of a woodburning stove with the ease and convenience of electric.

Featuring our advanced Chromalight® technology, the Stockton's flame effects are projected among the fuel bed for a three-dimensional visual, whilst the various fuel effect options are lit from above and below for increased realism. The range of LED colour settings and interchangeable fuel bed options gives you the freedom to tailor your stove's visuals to suit your mood.

#### Finish

Matt Black

#### **Heat Output**

1.00kW - 2.00kW (or flame effect only)

#### Flame Visual Settings

Amber, Blue, or Amber with Blue accent

#### Interchangeable Fuel Beds

Log & Pebble effect Crystal Ice effect

#### Dimensions w x h x d (mm)

Stockton2 Small: 438 x 525 x 338 Stockton 5: 481 x 544 x 337 Stockton2 Medium: 601 x 616 x 412





# marlborough2 electric





Country or city, traditional or contemporary, the innovative Marlborough2 Electric has the flexibility to suit your lifestyle and your décor. With their expansive viewing windows, enjoy the warming flame visuals with or without the heat from the comfort of your sofa.

#### Finish

Matt Black

#### **Heat Output**

1.00 - 2.00kW (or flame effect only)

#### Flame Visual Settings

Amber, Blue, or Amber with Blue accent

#### Interchangeable Fuel Beds

Log & Pebble effect Crystal Ice effect

#### Dimensions w x h x d (mm)

Small: 429 x 533 x 280 Medium: 600 x 583 x 380





# huntingdon electric





The fine castings of the Huntingdon Electric range are brought alive with Gazco's Chromalight® technology, with each size offered in either clear door or tracery door versions.

#### Finish Matt Black

### **Door Choice**

Tracery Door Clear Door

#### **Heat Output**

1.00 - 2.00kW (or flame effect only)

#### Flame Visual Settings

Amber, Blue, or Amber with Blue accent

#### Interchangeable Fuel Beds

Log & Pebble effect Crystal Ice effect

#### Dimensions w x h x d (mm)

**20**: 413 x 536 x 324 **30**: 560 x 592 x 351

**40**: 641 x 653 x 397





# vogue midi electric





The Vogue Midi is offered in two models including the taller Midline version, which can be stacked with logs to enhance the wood burner aesthetic. Our Chromalight® Immersive LED technology lets you control flame and ember bed lighting effects to create the perfect ambience in virtually any part of the home, with a choice of fuel effects that can be mixed and matched.

The Vogue Midi is compatible with our range of stove benches, for more information see page 52.

#### Finish

Matt Black

#### **Heat Output**

0.75 - 1.50kW (or flame effect only)

#### Flame Visual Settings

Amber, Blue, or Amber with Blue accent

#### Interchangeable Fuel Beds

Log & Pebble effect Crystal Ice effect

#### Dimensions w x h x d (mm)

Midi: 416 x 639 x 348 Midi Midline: 416 x 791 x 348





# vogue midit electric









The stylish Vogue Midi T range comprises a collection of tall contemporary stoves. All Vogue Midi T stoves feature windows on either side of the stove body to supplement the large front window, ensuring the display is visible from almost any angle in the room.

The Vogue Midi T can be selected as a plinth-mounted stove or in Midline log store versions.

Alternatively, a statement wall-hung model creates a floating installation for a strikingly modern look. The Vogue Midi T can be enhanced with our range of stove benches, for more information see page 52.

#### Finish

Matt Black

#### **Heat Output**

0.75 - 1.50kW (or flame effect only)

#### Flame Visual Settings

Amber, Blue, or Amber with Blue accent

#### Interchangeable Fuel Beds

Log & Pebble effect Crystal Ice effect

#### Dimensions w x h x d (mm)

Midi T: 418 x 776 x 349

Midi T Midline: 418 x 928 x 349

Midi T Wall Mounted: 416 x 776 x 348 (360\*)

\*360mm is depth with wall mounted bracket.





# vision electric





The Vision is a contemporary electric stove that comes in three sizes: Small, Midi and Medium; each sporting a highly reflective black glass door, integral glass plinth, black glass top plate and contrasting stainless steel detailing for a clean stylish look.

To increase your interior design possibilities, you can enhance your Vision by choosing from one of ten stylish Stove Benches as shown on page 52.

#### Finish

Black Glass

#### **Heat Output**

1.00 - 2.00kW (or flame effect only)

#### Flame Visual Settings

Amber, Blue, or Amber with Blue accent

#### Interchangeable Fuel Beds

Log & Pebble effect Crystal Ice effect

#### Dimensions w x h x d (mm)

Small: 370 x 555 x 299 Midi: 415 x 604 x 320 Medium: 535 x 676 x 363







## CL electric







Effortlessly bridging the gap between modern and traditional stove design, the CL Electric range balances simplicity with subtle details. CL electric stoves feature our remote controlled Chromalight LED lighting systems for extraordinarily realistic flame and ember visuals, with an assortment of fuel effects to choose from. Choose from three stove sizes to complement your home, each featuring a high quality cast iron and steel construction. CL stoves can be further enhanced with our stove benches shown on page 52.

#### Finish

Matt Black

#### **Heat Output**

1.00 – 2.00kW (or flame effect only)

#### **Flame Visual Settings**

Amber, Blue, or Amber with Blue accent

#### Interchangeable Fuel Beds

Log & Pebble effect Crystal Ice Effect

#### Dimensions w x h x d (mm)

CL3: 371 x 541 x 313 CL5: 416 x 552 x 333 CL8: 553 x 604 x 374



# liberty 85 electric







Designed to make a statement, the Liberty 85 Electric stove combines bold design language, advanced technologies, and a range of customisable options. Chromalight technology projects vivid flame visuals among the glowing fuel bed for a deep, three-dimensional display. Two sophisticated finishes along with a selection of mounting options give you the freedom to choose the Liberty 85's look. Choose from either black or white front finishes, along with matching Plinth and Bench mounts to elevate this designer electric stove. The Liberty 85 can also be combined with a number of our Stove Benches shown overleaf and on page 52. Additional images shown on page 52.

#### Finish

Black or White

#### **Heat Output**

1.00 – 2.00kW (or flame effect only)

#### Flame Visual Settings

Amber, Blue, or Amber with Blue accent

#### **Interchangeable Fuel Beds**

Log & Pebble effect Crystal Ice effect



Programmable
Thermostatic
Eco Remote
Control

#### Dimensions w x h x d (mm)

**Liberty 85:** 1110 x 596 x 300

Liberty 85 with matching Plinth:  $1305 \times 649 \times 585$ 

Liberty 85 with matching curved Bench: 1350 x 896 x 396





# liberty 85 electric (continued)





Liberty 85 Electric stoves come with a choice of fuel effects giving you the freedom to customise your stove's display whenever you feel like a change. Choose from highly realistic logs, Crystal lce or a combination to suit your mood.

In addition to the matching Plinth and Bench options shown on the preceding pages, Liberty 85 stoves can also be combined with a number of our Stove Benches shown on page 52.

Additional images shown on page 52 and rear cover.

#### Finish

Black or White

#### Heat Output

1.00 – 2.00kW (or flame effect only)

#### Flame Visual Settings

Amber, Blue, or Amber with Blue accent

#### Interchangeable Fuel Beds

Log & Pebble effect Crystal Ice effect

#### Dimensions w x h x d (mm)

Liberty **85**: 1110 x 596 x 300

For stove bench dimensions, see page 49 & 53.



# eReflex RW new generation





### versatile installation options

Fireside comfort come rain or shine – the new generation eReflex range effortlessly combines adaptability with convenient heat.

The eReflex is available in two square and five landscape sizes, allowing you to find the perfect fit to create a statement centrepiece in your home. All sizes of eReflex are easily configurable as one-sided, two-sided, or three-sided fires.



### key features

- Can be easily configured as a three-sided, two-sided, or single-sided fire
- Chromalight® LED System
- Comes with life-like Oak Log effect, or the alternative Crystal Ice effect
- Pulsing glowing embers for realism
- Three flame colour choices including amber, amber with blue accent, and blue
- Downlighting illuminates fuel effects with lighting to complement flames

- Eight fuel bed lighting colours, plus cycling spectrum mode
- Programmable Thermostatic Eco Remote Control
- App control on iOS & Android devices
- Up to 2kW programmable heating
- Ecodesign Energy Saving Features
- Optional Mood Lighting System
- Flames can be enjoyed with or without the heat





## immersive lighting system


eReflex fires use Gazco's Chromalight lighting system to create a mesmerising display with almost endless possibilities. Vivid flame effects are projected to appear amongst the fuel bed for a deep, three-dimensional display and can be set to natural amber, striking blue or even a combination of the two. Each flame colour is enhanced with downlighting, bathing the fuel bed in your choice of warming amber or cool white, for a truly immersive visual. Eight fuel bed lighting colours illuminate the fuel effects from below, providing relaxing, mood-enhancing ambience. Fuel bed lighting can also transition through each vivid colour for a gradually changing spectrum, providing the ultimate wow factor.

## optional mood lighting system

An optional mood lighting system lets you enhance your space, with up to 6 metres of LED lighting for accompanying shelves or around your TV. This kit offers 13 different lighting colours plus a gradually changing spectrum mode to complement your fire, or even your home's décor.







# eReflex RW - ambience on command



eReflex 75RW with Oak Log-effect, shown as single-sided installation and Claremont Limestone mantel **Lighting and Heat Timer** 

The eReflex's app control function puts a range of visual and heating capabilities in the palm of your hand. With a simple swipe of your Android or IOS device, you can personalise your fireside experience.

#### **Finer Tuning**

The app displays all settings clearly on your smart phone or tablet, giving you precision control over the fire's Chromalight® LED systems. Lighting settings are easily adjustable thanks to the app's slider controls.

#### Programmable thermostatic heating and flame visuals

With the app, you have the added functionality of being able to easily program your fire to provide different heating schedules. Create up to four daily heating schedules to suit your lifestyle, with room to save up to three weekly programs.

Download the app by searching for MusFlame on the App Store or visit gazco.com/electricapp

Eco Remote Control.

On the app, the eReflex's heat and lighting functions can be

set to turn on according to a timer, independently from each other. Set a time to switch on the heat, or opt for the lighting

effects alone for a fireside glow in the warmer months without

the heat output. The eReflex range is also controllable via the

View the eReflex New Generation Brochure by scanning the QR code or visiting gazco.com/brochures







# riva2 670 electric fires

Riva2 670 fires bring a relaxing focal point to any home, with all the convenience of instant electric heat.

Designed to fit a wide variety of installation requirements, Riva2 670 electric fires can either be recessed into the wall, hearth-mounted into a traditional fireplace opening or alternatively hung directly on the wall with a wall-mounting box for easy installation.





### frame options

#### Designio2







Graphite, Iridium & Black Glass

#### Verve XS



Graphite

Evoke



Graphite & Black Glass



# riva2 670 verve xs



The stylish Verve XS transforms the Riva2 670 with a 3D frame designed to create maximum visual impact in your home. This subtly curving frame choice comes in smart Graphite to suit a variety of settings.

The Riva2 670's highly realistic fuel bed is enhanced by Gazco's stunning flame-effect, offering the ambience of a real log flame with the instant convenience of electric.

## **Finish**Graphite

1.00 - 2.00kW (or flame effect only)

#### Fuel Bed Log effect

Frame Dimensions w x h x d (mm) 1000 x 622 x 41\*



Programmable Thermostatic Eco Remote Control

For information on the remote control features see page 5.

<sup>\*</sup> Depth when recessed into wall. For more information on the optional wall-mounting box as well as firebox dimensions, please see page 50.



# riva2 670 designio2





The Designio2 Glass and Steel frames offer a selection of contemporary framing options for the Riva2 670 electric fire.

The Designio2 Glass adds a striking black glass surround, with glossy reflective surfaces that enhance the fire's luxury aesthetic. For understated style, the Designio2 Steel frames the fire with a sophisticated metal surround, available in either Graphite or Iridium finishes to complement your décor.

Designio2 frames can be either wall or hearth mounted depending on your tastes.

#### Finish

Black Glass Graphite Iridium

### Fuel Bed

Log effect

#### **Heat Output**

1.00 - 2.00kW (or flame effect only)

#### Frame Dimensions w x h x d (mm) 735 x 569 x 40\*



Programmable Thermostatic Eco Remote Control

For information on the remote control features see page 5.

<sup>\*</sup> Depth when recessed into wall. For more information on the optional wall-mounting box as well as firebox dimensions, please see page 50.

# riva2 670 evoke





Minimalist in design but bold in statement, the Evoke frame adds further presence to the Riva2 670. Choose from Steel or Glass fronts to suit your living area.

All Riva2 670 Electric fires can be recessed into a pre-constructed hole for a more minimalist installation but can also be hung directly on the wall with the optional wall-mounting box.

#### **Front Finish**

Black Glass Graphite

### **Fuel Bed**

Log effect

#### **Heat Output**

1.00 - 2.00kW (or flame effect only)

**Frame Dimensions** w x h x d (mm)920 x 622 x 41\*



Programmable Thermostatic Eco Remote Control

For information on the remote control features see page 5.

<sup>\*</sup> Depth when recessed into wall. For more information on the optional wall-mounting box as well as firebox dimensions, please see page 50.





# logic2 electric fires

Featuring advanced LED technology, the Logic2 Electric Inset fire range offers captivating, life-like flame visuals for instant fireside ambience. Designed to fit easily into a standard fireplace opening, 3" rebated mantel with slip or simply against a flat wall using the optional spacer frame, this versatile fire can be enjoyed in almost any interior setting.

The Logic2 features various LED flame effects including deep amber, cool blue or a combination of the two. Using the handset that gives you full control over the fire's features, the Logic2's flames can be set to five brightness settings and can also be displayed with or without the heat if desired.

The Logic2's Programmable Thermostatic Eco handset also offers a number of convenient options, including Daily and Weekly scheduling. This advanced handset also includes various energy saving features which make it Ecodesign compliant. For more information see page 5.



These stylish electric fires come complete with three easily interchangeable fuel beds which each add a unique aesthetic. The log arrangement creates a traditional woodburning look, or, switch to either white and clear stones or grey pebbles for a strikingly contemporary aesthetic.


The versatile Logic2 has a choice of modern and traditionally styled frames and fronts (shown on the following pages) that allow you to customise your fire to suit your home.

# three interchangeable fuel effects












Log-effect White & Clear Stones



# logic2 arts







Taking its design origins from the Arts and Crafts movement in the early twentieth century, the Logic2 Arts embraces simplicity and clean styling. Available in a range of front and frame finishes, the Arts can be selected in a variety of combinations to suit your tastes. Using the optional spacer frame the Arts can also be installed without having to be inset into a wall, minimising building work.

#### **Finish Combinations**

| Frame Choice          | Front Choice       |
|-----------------------|--------------------|
|                       | Matt Black         |
| Matt Black            | Brass effect       |
|                       | Polished effect    |
|                       | Highlight Polished |
| Brass effect          | Brass effect       |
|                       | Matt Black         |
| Polished Steel effect | Polished effect    |
| ellect                | Highlight Polished |
| D 1 101 1             | Matt Black         |
| Brushed Steel effect  | Polished effect    |
| CHOCK                 | Highlight Polished |

#### **Heat Output**

1.00 - 2.00kW (or flame effect only)

# Flame Visual Settings

Amber, Blue or mixed

## Interchangeable Fuel Beds

Log-effect

White & Clear Stones
Grey Pebbles

### Dimensions w x h (mm)\*

510 x 609



<sup>\*</sup> Dimensions given are those overall visible upon installation. For detailed technical information see page 51.

# logic2 chartwell







The elegant Logic2 Chartwell instantly evokes the heritage and classical styling of a traditional fireplace. Available in various front and frame finishes, the Chartwell can be combined with Gazco's many mantels, fronts and insert panels to create the perfect fireplace for your home.

For easy installation, each frame choice can be used with the optional spacer frame which allows the Logic2 to be fitted directly against a flat wall. Additional image shown on page 5.

\* Dimensions given are those overall visible upon installation. For detailed technical information see page 51.

#### **Finish Combinations**

| Frame Choice          | Front Choice       |
|-----------------------|--------------------|
|                       | Matt Black         |
| Matt Black            | Brass effect       |
|                       | Polished effect    |
|                       | Highlight Polished |
| Brass effect          | Brass effect       |
| 5                     | Matt Black         |
| Polished Steel effect | Polished effect    |
| ellect                | Highlight Polished |
| D. also d Olasal      | Matt Black         |
| Brushed Steel effect  | Polished effect    |
| Olloot                | Highlight Polished |

#### **Heat Output**

1.00 - 2.00kW (or flame effect only)

## Flame Visual Settings

Amber, Blue or mixed

## Interchangeable Fuel Beds

Log-effect White & Clear Stones Grey Pebbles

# Dimensions w x h (mm)\*

510 x 609







# logic2 wave





Blending modern and traditional styling, the Logic2 Wave features smooth lines and refined curves, suiting both contemporary and period interiors alike. The Wave can be selected in Black, Polished Steel, Brushed Steel and Brass with the option to combine different frame and front finishes for unique styling. Logic2 Wave fires are available with an optional spacer frame which allows the fire to be quickly and easily fitted onto a flat wall, if desired.

#### **Finish Combinations**

| Frame Choice          | Front Choice       |
|-----------------------|--------------------|
|                       | Matt Black         |
| Matt Black            | Brass effect       |
|                       | Polished effect    |
|                       | Highlight Polished |
| Brass effect          | Brass effect       |
|                       | Matt Black         |
| Polished Steel effect | Polished effect    |
| ellect                | Highlight Polished |
| D 1 101 1             | Matt Black         |
| Brushed Steel effect  | Polished effect    |
| CHOCK                 | Highlight Polished |

#### **Heat Output**

1.00 - 2.00kW (or flame effect only)

# Flame Visual Settings

Amber, Blue or mixed

## Interchangeable Fuel Beds

Log-effect White & Clear Stones Grey Pebbles

## Dimensions w x h (mm)\*

510 x 609



<sup>\*</sup> Dimensions given are those overall visible upon installation. For detailed technical information see page 51.

# logic2 progress





The ultra-contemporary Progress front's minimalist styling perfectly complements the advanced Logic2 fire. Featuring a smoothly curving front with a striking Iridium finish, this modern fire effortlessly makes for a designer centrepiece in any interior.

The versatile Logic2 fire range is designed to be fitted into a standard fireplace opening or flat against the wall with either a 3" rebated mantel with slip or by using the optional spacer frame.

\* Dimensions given are those overall visible upon installation. For detailed technical information see page 51.

#### **Finish**

Iridium

#### **Heat Output**

1.00 - 2.00kW (or flame effect only)

## **Flame Visual Settings**

Amber, Blue or mixed

#### **Interchangeable Fuel Beds**

Log-effect White & Clear Stones Grey Pebbles

# Dimensions w x h (mm)\*

520 x 602






# technical information - electric stoves

# chesterfield 5

| Code    | Model          | Fuel Effect | Heat Output   |
|---------|----------------|-------------|---------------|
| 605-850 | Chesterfield 5 | Various     | 0.75 - 1.50kW |

Weight: 56kg




# marlborough2

| Code    | Model  | Fuel Effect | Heat Output   |
|---------|--------|-------------|---------------|
| 659-085 | Small  | Various     | 1.00 - 2.00kW |
| 659-112 | Medium | Various     | 1.00 - 2.00kW |

#### Dimensions (mm)


|        | Α   | В   | С   | D   | Е   | F   | Weight |
|--------|-----|-----|-----|-----|-----|-----|--------|
| Small  | 429 | 558 | 355 | 280 | 232 | 211 | 33kg   |
| Medium | 600 | 583 | 406 | 330 | 398 | 241 | 50kg   |



# sheraton 5


| Code    | Model      | Fuel Effect | Heat Output   |
|---------|------------|-------------|---------------|
| 605-832 | Sheraton 5 | Various     | 0.75 - 1.50kW |

Weight: 55kg



# huntingdon


| Code    | Model | Fuel Effect | Door Type | Heat Output   |
|---------|-------|-------------|-----------|---------------|
| 615-258 | 20    | Various     | Tracery   | 1.00 - 2.00kW |
| 615-011 | 20    | Various     | Clear     | 1.00 - 2.00kW |
|         |       |             |           |               |
| 615-285 | 30    | Various     | Tracery   | 1.00 - 2.00kW |
| 615-094 | 30    | Various     | Clear     | 1.00 - 2.00kW |
|         |       |             |           |               |
| 615-302 | 40    | Various     | Tracery   | 1.00 - 2.00kW |
| 615-123 | 40    | Various     | Clear     | 1.00 - 2.00kW |
|         |       |             |           |               |



# stockton2 and stockton 5

| Code    | Model  | Fuel Effect | Heat Output   |
|---------|--------|-------------|---------------|
| 604-144 | Small  | Various     | 1.00 - 2.00kW |
| 604-172 | 5      | Various     | 1.00 - 2.00kW |
| 604-203 | Medium | Various     | 1.00 - 2.00kW |

| Dimensions (mm) | Α   | В   | С   | D  | Е   | F   | Weight |
|-----------------|-----|-----|-----|----|-----|-----|--------|
| Small           | 438 | 525 | 289 | 49 | 232 | 220 | 50kg   |
| 5               | 481 | 544 | 273 | 64 | 267 | 212 | 55kg   |
| Medium          | 601 | 617 | 347 | 65 | 398 | 258 | 72kg   |






## Dimensions (mm)

|    | Α   | В   | С   | D  | Е   | F   | Weight |
|----|-----|-----|-----|----|-----|-----|--------|
| 20 | 413 | 536 | 324 | 62 | 234 | 223 | 35kg   |
| 30 | 560 | 592 | 351 | 96 | 323 | 230 | 52kg   |
| 40 | 641 | 653 | 397 | 99 | 402 | 265 | 59.5kg |
|    |     |     |     |    |     |     |        |

# vogue midi

| Code           | Model          |     | Fuel | Fuel Effect |               | Heat Output |  |
|----------------|----------------|-----|------|-------------|---------------|-------------|--|
| 663-806        | Midi           |     | Vai  | Various     |               | - 1.50kW    |  |
| 663-834        | Midi Midline   |     | Vai  | rious       | 0.75 - 1.50kW |             |  |
| Dimensions (mm | ) <sub>A</sub> | В   | С    | D           | Е             | Weight      |  |
| Midi           | 416            | 639 | 348  | 306         | 337           | 42kg        |  |
| Midi Midline   | 416            | 791 | 348  | 306         | 337           | 48kg        |  |
|                |                |     |      |             |               |             |  |



CL3

CL5

CL8

| Code          | Model |   | Fuel Ef | fect | Heat   | Output |
|---------------|-------|---|---------|------|--------|--------|
| YM681-196     | CL3   |   | Vario   | us   | 1.00 - | 2.00kW |
| YM681-331     | CL5   |   | Vario   | us   | 1.00 - | 2.00kW |
| YM681-374     | CL8   |   | Vario   | us   | 1.00 - | 2.00kW |
| Dimensions (m | m) A  | В | С       | D    | Е      | Weight |

541

552

604

244


244

274

313

333

374




# vogue midi t

| Code    | Model               | Fuel Effect | Heat Output   |
|---------|---------------------|-------------|---------------|
| 663-819 | Midi T              | Various     | 0.75 - 1.50kW |
| 663-851 | Midi T Midline      | Various     | 0.75 - 1.50kW |
| 663-860 | Midi T Wall Mounted | Various     | 0.75 - 1.50kW |

| Dimensions (mm)     | Α   | В   | С    | D   | Е   | F   | G   | Weight |
|---------------------|-----|-----|------|-----|-----|-----|-----|--------|
| Midi T              | 417 | 776 | 348  | 306 | 475 | 115 | 434 | 38kg   |
| Midi T Midline      | 417 | 927 | 348  | 306 | 475 | 115 | 434 | 44kg   |
| Midi T Wall Mounted | 417 | 776 | 348* | 306 | 475 | 115 | 434 | 44kg   |

<sup>\*360</sup>mm is depth with wall mounting bracket.



# liberty 85

| Code    | Model              | Colour        | Fuel Effect | Heat Output |
|---------|--------------------|---------------|-------------|-------------|
| 610-107 | Liberty 85 - Black | Black (front) | Various     | 2.00kW      |
| 610-126 | Liberty 85 - White | White (front) | Various     | 2.00kW      |

252

311

427

40kg

44kg

47kg

#### Plinth & Bench Mounting Choice

371

416


553

| 999-048 | Liberty 85 Plinth - Black                   | _   |         |
|---------|---|-----|---------|
| 999-087 | Liberty 85 Plinth - White                   | _   |         |
| 999-127 | Liberty 85 Matching<br>Curved Bench - Black |     | D   E   |
| 999-166 | Liberty 85 Matching<br>Curved Bench - White |     |         |
|         | L   |     | A K G H |
| N‡      | •   | E J | c M     |
| 0 †     | Aerial view                                 |     |         |

# Liberty 85 on Matching Curved Bench Liberty 85 on Plinth 855 396 1050 1110 300 275 584 596 1305 585 649 991 53 Liberty 85 (without Plinth or Bench)

# vision

| Code          | Мс  | del  |     | Fuel I | Effect | Heat   | Output |
|---------------|-----|------|-----|--------|--------|--------|--------|
| 634-808       | Sm  | nall |     | Vari   | ous    | 1.00 - | 2.00kW |
| 634-846       | Mic | ib   |     | Vari   | ous    | 1.00 - | 2.00kW |
| 634-889       | Me  | dium |     | Vari   | ous    | 1.00 - | 2.00kW |
| Dimensions (r | nm) | Α    | В   | С      | D      | E      | Weight |
| Small         |     | 370  | 555 | 299    | 254    | 240    | 24kg   |
| Midi          |     | 415  | 604 | 320    | 316    | 214    | 28kg   |
| Medium        |     | 535  | 676 | 363    | 408    | 274    | 38kg   |




# technical information - electric fires

# eReflex electric

| Description                 | Product Code | Flame Viewing Area (w x h) | Heat Output  |
|-----------------------------|--------------|----------------------------|--------------|
| eReflex 55RW Electric Fire  | 210-116      | 555 x 555mm                | Up to 2.00kW |
| eReflex 75RW Electric Fire  | 210-121      | 755 x 755mm                | Up to 2.00kW |
| eReflex 85RW Electric Fire  | 210-130      | 855 x 380mm                | Up to 2.00kW |
| eReflex 110RW Electric Fire | 210-142      | 1105 x 380mm               | Up to 2.00kW |
| eReflex 135RW Electric Fire | 210-153      | 1355 x 380mm               | Up to 2.00kW |
| eReflex 150RW Electric Fire | 210-177      | 1505 x 380mm               | Up to 2.00kW |
| eReflex 195RW Electric Fire | 210-164      | 1955 x 380mm               | Up to 2.00kW |

## optional mood lighting

| Description                | Product Code |
|----------------------------|--------------|
| Optional Mood Lighting Kit | 923-835      |



# riva2 670 electric

|              |             |               | Oper | ing Size | (mm) |
|--------------|-------------|---------------|------|----------|------|
| Product Code | Fuel Effect | Heat Output   | W    | h        | d    |
| 234-872      | Logs        | 1.00 - 2.00kW | 665  | 535      | 105  |

#### Riva2 670 Electric Wall Mounting Box

8688SL Wall mounting box for Riva2 670 Electric Cassette (234-872)

The wall mounting box allows you to hang your Riva2 670 directly onto the wall, without the need for an opening or recess.


## frame information

| II GITTO ITTI | orrigition      |   | Fra  | me Size | (mm) |
|---------------|-----------------|---|------|---------|------|
| Product Code  | Description     | Frame Finish                            | W    | h       | d    |
| 934-339       | Designio2 frame | Black Glass                             | 735  | 569     | 40   |
| 934-238       | Designio2 frame | Graphite                                | 735  | 569     | 40   |
| 934-238IR     | Designio2 frame | Iridium                                 | 735  | 569     | 40   |
| 934-529       | Evoke frame     | Black Glass front with<br>Graphite rear | 920  | 622     | 41   |
| 934-601       | Evoke frame     | Graphite front with<br>Graphite rear    | 920  | 622     | 41   |
| 934-143       | Verve XS frame  | Graphite                                | 1000 | 621     | 56   |
|               |                 |   |      |         |      |

### fire dimensions



# logic2 electric



<sup>\*</sup> The depth of the Logic2 Electric fires are increased by 6mm when using an optional spacer frame.

| Product Code | Front   | Frame Finish          | Front Finish       | Heat Output   |
|--------------|---------|-----------------------|--------------------|---------------|
| arts fire in | formati | ion                   |                    |               |
| 201-005      | Arts    | Matt Black            | Matt Black         | 1.00 - 2.00kW |
| 201-038      | Arts    | Matt Black            | Brass Effect       | 1.00 - 2.00kW |
| 201-081      | Arts    | Matt Black            | Polished Effect    | 1.00 - 2.00kW |
| 201-099      | Arts    | Matt Black            | Highlight Polished | 1.00 - 2.00kW |
| 201-132      | Arts    | Brass Effect          | Brass Effect       | 1.00 - 2.00kW |
| 201-148      | Arts    | Polished Steel Effect | Matt Black         | 1.00 - 2.00kW |
| 201-173      | Arts    | Polished Steel Effect | Polished Effect    | 1.00 - 2.00kW |
| 201-197      | Arts    | Polished Steel Effect | Highlight Polished | 1.00 - 2.00kW |
| 201-222      | Arts    | Brushed Steel Effect  | Matt Black         | 1.00 - 2.00kW |
| 201-236      | Arts    | Brushed Steel Effect  | Polished Effect    | 1.00 - 2.00kW |
| 201-401      | Arts    | Brushed Steel Effect  | Highlight Polished | 1.00 - 2.00kW |

| Product Code   | Front   | Frame Finish  | Front Finish  | Heat Output   |
|--|---|---|---|---|
| wave fire  | informat  | ion   |   | ·   |
| 201-416  | Wave  | Matt Black  | Matt Black  | 1.00 - 2.00kW   |
| 201-504  | Wave  | Matt Black  | Brass Effect  | 1.00 - 2.00kW   |
| 201-360  | Wave  | Matt Black  | Polished Effect   | 1.00 - 2.00kW   |
| 201-384  | Wave  | Matt Black  | Highlight Polished  | 1.00 - 2.00kW   |
| 201-688  | Wave  | Brass Effect  | Brass Effect  | 1.00 - 2.00kW   |
| 201-717  | Wave  | Polished Steel Effect   | Matt Black  | 1.00 - 2.00kW   |
| 201-591  | Wave  | Polished Steel Effect   | Polished Effect   | 1.00 - 2.00kW   |
| 201-828  | Wave  | Polished Steel Effect   | Highlight Polished  | 1.00 - 2.00kW   |
| 201-757  | Wave  | Brushed Steel Effect  | Matt Black  | 1.00 - 2.00kW   |
| 201-269  | Wave  | Brushed Steel Effect  | Polished Effect   | 1.00 - 2.00kW   |
| 201-323  | Wave  | Brushed Steel Effect  | Highlight Polished  | 1.00 - 2.00kW   |
| chartwell  | fire infor  | mation  |   |   |
|  |   |   |   |   |
| 201-742  | Chartwell   | Matt Black  | Matt Black  | 1.00 - 2.00kW   |
| 201-742  | Chartwell Chartwell   | Matt Black<br>Matt Black  | Matt Black<br>Brass Effect  | 1.00 - 2.00kW<br>1.00 - 2.00kW  |
|  |   |   |   |   |
| 201-708  | Chartwell   | Matt Black  | Brass Effect  | 1.00 - 2.00kW   |
| 201-708<br>201-655   | Chartwell Chartwell   | Matt Black<br>Matt Black  | Brass Effect Polished Effect  | 1.00 - 2.00kW<br>1.00 - 2.00kW  |
| 201-708<br>201-655<br>201-626  | Chartwell Chartwell Chartwell   | Matt Black Matt Black Matt Black  | Brass Effect Polished Effect Highlight Polished   | 1.00 - 2.00kW<br>1.00 - 2.00kW<br>1.00 - 2.00kW   |
| 201-708<br>201-655<br>201-626<br>201-554   | Chartwell Chartwell Chartwell Chartwell   | Matt Black Matt Black Matt Black Brass Effect   | Brass Effect Polished Effect Highlight Polished Brass Effect  | 1.00 - 2.00kW<br>1.00 - 2.00kW<br>1.00 - 2.00kW<br>1.00 - 2.00kW  |
| 201-708<br>201-655<br>201-626<br>201-554<br>201-511  | Chartwell Chartwell Chartwell Chartwell Chartwell   | Matt Black Matt Black Matt Black Brass Effect Polished Steel Effect   | Brass Effect Polished Effect Highlight Polished Brass Effect Matt Black   | 1.00 - 2.00kW<br>1.00 - 2.00kW<br>1.00 - 2.00kW<br>1.00 - 2.00kW<br>1.00 - 2.00kW   |
| 201-708<br>201-655<br>201-626<br>201-554<br>201-511<br>201-392   | Chartwell Chartwell Chartwell Chartwell Chartwell Chartwell   | Matt Black Matt Black Matt Black Brass Effect Polished Steel Effect Polished Steel Effect   | Brass Effect Polished Effect Highlight Polished Brass Effect Matt Black Polished Effect   | 1.00 - 2.00kW<br>1.00 - 2.00kW<br>1.00 - 2.00kW<br>1.00 - 2.00kW<br>1.00 - 2.00kW   |
| 201-708<br>201-655<br>201-626<br>201-554<br>201-511<br>201-392<br>201-314                                  | Chartwell Chartwell Chartwell Chartwell Chartwell Chartwell Chartwell   | Matt Black Matt Black Matt Black Brass Effect Polished Steel Effect Polished Steel Effect Polished Steel Effect   | Brass Effect Polished Effect Highlight Polished Brass Effect Matt Black Polished Effect Highlight Polished                            | 1.00 - 2.00kW<br>1.00 - 2.00kW<br>1.00 - 2.00kW<br>1.00 - 2.00kW<br>1.00 - 2.00kW<br>1.00 - 2.00kW<br>1.00 - 2.00kW                                   |
| 201-708<br>201-655<br>201-626<br>201-554<br>201-511<br>201-392<br>201-314<br>201-293                       | Chartwell Chartwell Chartwell Chartwell Chartwell Chartwell Chartwell Chartwell Chartwell                               | Matt Black Matt Black Matt Black Matt Black Brass Effect Polished Steel Effect Polished Steel Effect Polished Steel Effect Brushed Steel Effect   | Brass Effect Polished Effect Highlight Polished Brass Effect Matt Black Polished Effect Highlight Polished Matt Black                 | 1.00 - 2.00kW<br>1.00 - 2.00kW                  |
| 201-708<br>201-655<br>201-626<br>201-554<br>201-511<br>201-392<br>201-314<br>201-293<br>201-024            | Chartwell | Matt Black Matt Black Matt Black Matt Black Brass Effect Polished Steel Effect Polished Steel Effect Polished Steel Effect Brushed Steel Effect Brushed Steel Effect Brushed Steel Effect | Brass Effect Polished Effect Highlight Polished Brass Effect Matt Black Polished Effect Highlight Polished Matt Black Polished Effect | 1.00 - 2.00kW<br>1.00 - 2.00kW                  |
| 201-708<br>201-655<br>201-626<br>201-554<br>201-511<br>201-392<br>201-314<br>201-293<br>201-024<br>201-070 | Chartwell | Matt Black Matt Black Matt Black Matt Black Brass Effect Polished Steel Effect Polished Steel Effect Polished Steel Effect Brushed Steel Effect Brushed Steel Effect Brushed Steel Effect | Brass Effect Polished Effect Highlight Polished Brass Effect Matt Black Polished Effect Highlight Polished Matt Black Polished Effect | 1.00 - 2.00kW<br>1.00 - 2.00kW |

Logic2 Electric Progress Spacer Frame - Graphite

Logic2 Electric Arts, Chartwell & Wave Spacer Frame - Black

901-815

# further information

# stove benches

These versatile steel
benches are compatible with
the Vision, Vogue, CL, and
Liberty 85 stoves. With a
variety of sizes they offer
greater design possibilities
such as central or offset
stove positioning, expanding
your styling options.





| <b>Product Code</b>               | Bench           | <b>W</b><br>(mm) | <b>H</b><br>(mm) | <b>D</b><br>(mm) |
|-----------------------------------|-----------------|------------------|------------------|------------------|
| RVACLB45BHT                       | 45 Low bench*   | 450              | 250              | 420              |
| RVACB45BHT                        | 45 High bench*  | 450              | 350              | 420              |
| RVACLB100BHT                      | 100 Low bench*  | 1000             | 250              | 420              |
| RVACB100BHT                       | 100 High bench* | 1000             | 350              | 420              |
| RVACLB120BHT                      | 120 Low bench   | 1200             | 250              | 420              |
| RVACB120BHT                       | 120 High bench  | 1200             | 350              | 420              |
| RVACLB140BHT                      | 140 Low bench   | 1400             | 250              | 420              |
| RVACB140BHT                       | 140 High bench  | 1400             | 350              | 420              |
| RVACLB180BHT                      | 180 Low bench   | 1800             | 250              | 465              |
| RVACB180BHT                       | 180 High bench  | 1800             | 350              | 465              |
| Deeper Bench Options (500mm Deep) |                 |                  |                  |                  |
| RVACLB120BHT                      | 120 Low bench   | 1200             | 250              | 500              |
| RVACB120BHT                       | 120 High bench  | 1200             | 350              | 500              |
| RVACLB140BHT                      | 140 Low bench   | 1400             | 250              | 500              |
| RVACB140BHT                       | 140 High bench  | 1400             | 350              | 500              |
| RVACLB180BHT                      | 180 Low bench   | 1800             | 250              | 500              |
| RVACB180BHT                       | 180 High bench  | 1800             | 350              | 500              |
|                                   |                 |                  |                  |                  |

<sup>\*</sup>Not compatible with Liberty 85 Electric Stoves



# eStudio electric fires









The Gazco electric fire collection also includes the eStudio range. Offering captivating flame and ember effects in a choice of colours, the eStudio features our immersive Chromalight LED System. Combining innovative lighting technology with various highly realistic fuel effect choices, eStudio fires bring stunning, atmospheric visuals to your living area. These designer electric fires present an array of sizes and installation choices, with Inset, Multi-Sided and wall mounted options to suit your home.

For more information on eStudio electric fires, please contact your local retailer or visit: www.gazco.com/brochures, where you can download the range's brochure.





# Onyx

# Avanti Electric Fires







In addition to the eStudio & eReflex ranges, the Stovax Heating Group also includes the extraordinary Avanti electric range from our Onyx brand.

Delivering the ultimate in electric fire innovation, the Avanti's Chromalight® Plus systems employ layer upon layer of visual technology to weave a palette of captivating flame and lighting effects, with each effect highly customisable. Crisp flame visuals appear to dance and soar between true-to-life log effects, dynamically lit from all angles for absolute immersion.

For more information on the full Avanti electric range, please contact your local retailer or view and download the full brochure at: **www.onyxfires.com.** 















Gazco Limited, Osprey Road, Sowton Industrial Estate, Exeter, Devon, England EX2 7JG **Tel**: 01392 261900 • **Trade Sales**: 01392 261999 • **Email**: info@gazco.com Export Sales: +44 1392 261990 • Export Email: exportsales@gazco.com

gazco.com **f y o** 







#### Product Improvement and Photography

Gazco pursue a policy of continuous product improvement, therefore, whilst our products are correct at the time of the photography, we reserve the right to make alterations and amendments. Exact product details should be discussed with your retailer at the time of purchase. Owing to variations in studio lighting and printing inks, the colours of stoves illustrated in this brochure may differ slightly from actual models.

# find your retailer

You can find your nearest retailer by visiting: www.gazco.com/retailer

# Proud to support Carbon Balanced Print

Offsetting emissions through carbon balanced paper and print production

Your Gazco stockist:

GZELECTRIC1122

